



# *Aluminium und Edelstahl*

Lager- Lieferprogramm





Leichtmetall-Bleche aus EN AW-1050 A H14 / 24 (AL 99,5 F/G11)  
nach EN 485-1/-2/-4, 573-3

Dicke	1000 x 2000	1250 x 2500	1500 x 3000	1500 x 4000
0,50	○			
0,60	○	○		
0,80	○	○	○	
1,00	●	●	●	○
1,20	○	○	○	
1,50	●	●	●	○
2,00	●	●	●	○
2,50	○	○	○	○
3,00	●	●	●	○
4,00	●	○	○	
5,00	●	○	○	
6,00	○	○	○	

**Sonderformate**

Dicke	1000 x 4000	1250 x 4000	1600 x 3000	2000 x 4000
1,50			○	○
2,00	○	○		○
3,00				○

Auf Wunsch liefern wir alle Abmessungen mit Schutzfolie

- Lagervorrat
- Werksvorrat



### Leichtmetall-Warzenbleche Duett

aus EN AW-5754 H 144 (AlMg 3 W 20) nach EN 1386, 573-3

Dicke	1000 x 2000	1250 x 2500	1500 x 3000
1,5/2,00	●	●	○
2,5/4,0	●	●	●
3,5/5,0	●	●	●
5,0/6,5	●	●	●
8,0/9,5	○	○	○

### Leichtmetall-Warzenbleche Quintett

aus EN AW-5754 H 144 (AlMg 3 W 20) nach EN 1386, 573-3

Dicke	1000 x 2000	1250 x 2500	1500 x 3000
1,5/2,00	○	○	
2,5/4,0	○	○	○
3,0/4,5	○		
3,5/5,0	○	○	○
5,0/6,5	○	○	○
8,0/9,5	○	○	○

- Lagervorrat
- Werksvorrat



Leichtmetall-Bleche aus EN AW-5705 H 24/34 (AlMg 1 F / G 22 NQ)  
 Farbaluminium in Kantenqualität, stück- oder bandbeschichtet,  
 Ral 9016, einseitig UV-Folie  
 nach EN 485-1/-2/-4, 573-3

Dicke	1000 x 2000	1250 x 2500	1500 x 3000	1500 x 4000	1500 x 6000
1,00	○	○	○		
1,50	○	○	○		
2,00	●	●	●		
3,00			○	○	○

Weitere Farben und RFZ auf Anfrage

ALU-Lochbleche Al 99,5 hh (EN AW-1050A)  
 Rundlochung 5 mm, versetzte Reihe, Teilung 8 mm

Dicke	1000 x 2000	1250 x 2500	1500 x 3000
1,00	●	●	○
1,50	●	○	○
2,00	●	●	●

ALU-Lochbleche Al 99,5 hh (EN AW-1050A)  
 Vierkantlochung 10 mm, gerade Reihe, Teilung 15 mm

Dicke	1000 x 2000	1250 x 2500	1500 x 3000
1,00	●	○	○
1,50	●	○	○
2,00	●	●	●

Viele weitere Lochbleche in geschliffen oder ungeschliffener Ausführung auf Anfrage.

- Lagervorrat
- Werksvorrat

**ALU-Flachstangen, aus EN AW-6060 T66 (AlMgSi 0,5 F22)**  
 nach EN 573, 755-1/-2/-5, Herstellungslänge 6.000 mm

Abmessung	2	3	4	5	6	8	10	12	15	20	25	30	40
10		●		●									
12		○		○									
15	○	○	○			●	○	●					
20	●	●	●	●	●	○	●	●	●				
25	●	●	●	●	●	○	○	○	○	○			
30	●	●	●	●	●	●	●	○	○	○	○		
35		○	○	○		○	○		○				
40	●	●	●	●	○	●	●	●	●	●	○	○	
45				○			○						
50	○	●	●	●	●	●	●	○	●	●	○	○	○
55				○			○						
60	●	●	●	●	●	●	●	○	●	○	○	○	●
65													
70	○	○		○		○	○		●	○	○	○	
75													
80	○	○	○	●	●	●	●	○	○	○	○	○	○
90				○			○		●	○	○		
100		○	○	●	●	●	●	○	○	○	○	○	○
110													
120				○	●	●	●		○	○	○	○	
130						○							
140							○			○			
150				○		○	○		○	○			
160							○		○				
180							○						
190							○						
200				○		○	○		○	○			
250							○						
300							○						

Weitere Abmessungen und Werkstoffe auf Anfrage

- Lagervorrat
- Werksvorrat

ALU-Winkelprofil aus EN AW-6060 T66 (AlMgSi 0,5 F22)  
nach EN 573,755-1/-2/-5, DIN 1748-4, Länge 6.000 mm

## gleichschenkelig

Abmessung	1	1,5	2	2,5	3	4	5	6	8	10
10 x 10	○		●							
15 x 15		○	●		○					
20 x 20		○	●		●	○				
25 x 25			●		●	○	○			
30 x 30			●		●	○	○			
35 x 35			●		○	○	○			
40 x 40			●		●	●	○			
45 x 45			○				○			
50 x 50			●		●	●	●	○	○	○
60 x 60			●	○	●	○	○	○	○	○
70 x 70				○			○	○		
80 x 80					●	●	○	○	○	○
100 x 100						●	○	○		○
120 x 120									○	

## ungleichschenkelig

Abmessung	2	2,5	3	4	5	6	8	10
15 x 10	○							
20 x 10	●							
20 x 15	●							
25 x 10	●							
25 x 15	●	○						
25 x 20	●		○					
30 x 10	●							
30 x 15	●		●					
30 x 20	●	○	○					
30 x 25	○							
35 x 20	○		○					
35 x 25	○		○					
40 x 10	●							
40 x 15	●							
40 x 20	●		●	●				
40 x 25	○	○						
40 x 30	●		○	○				
45 x 20	○							
45 x 30			○					
50 x 15	●							
50 x 20	●	○	○					

ungleichschenkelig

Abmessung	2	2,5	3	4	5	6	8	10
50 x 25	●		○	○	○			
50 x 30	●		●	○	○			
50 x 40	○		○	○	○			
60 x 10	○							
60 x 15	○							
60 x 20	●	○	●					
60 x 25	○	○	○					
60 x 30	●		●	○	○			
60 x 40	●		●	○		○		
60 x 50	○							
65 x 50						○		
70 x 15	●							
70 x 20	○							
70 x 25		●						
70 x 30	○							
75 x 50					○			
80 x 15	○							
80 x 20	●							
80 x 25		○						
80 x 30	○		○					
80 x 40	●		●	●		○		
80 x 50				○				
80 x 60				○		○		
100 x 20	●							
100 x 30			○					
100 x 40	○			○				
100 x 50			●		○			○
100 x 60			○			○		
100 x 80						○		
110 x 30	○							
120 x 20	○							
120 x 40			○	○				
120 x 50					○			
120 x 60							○	
120 x 80								○
140 x 40			○					
150 x 50				○				
150 x 100					○			○
200 x 100								○
230 x 100			○					

- Lagervorrat
- Werksvorrat



Alu U-Profile aus EN AW-6060 T66 (ALMgSi 0,5 F22)

nach EN 573-3, 755-1/-2 DIN 1748-4, Herstellungslänge 6000 mm

Abmessung		Abmessung		Abmessung	
8 x 10 x 8 x 1,5	○	20 x 35 x 20 x 2	○	50 x 90 x 50 x 3	○
10 x 10 x 10 x 2	●	35 x 35 x 35 x 2	○	25 x 100 x 25 x 3	○
13 x 12 x 13 x 2	○	35 x 35 x 35 x 3	○	40 x 100 x 40 x 3	○
16 x 14 x 16 x 2	○	20 x 40 x 20 x 2	○	50 x 100 x 50 x 5	●
15 x 15 x 15 x 2	●	20 x 40 x 20 x 2,5	●	20 x 60 x 20 x 2	●
25 x 15 x 25 x 1,5	○	20 x 40 x 20 x 3	○	30 x 60 x 30 x 3	○
13 x 16 x 13 x 1,5	○	30 x 40 x 30 x 3	○	40 x 60 x 40 x 2,5	○
10 x 20 x 10 x 2	○	40 x 40 x 40 x 2	○	40 x 60 x 40 x 3	○
15 x 20 x 15 x 2	○	40 x 40 x 40 x 2,5	●	40 x 60 x 40 x 4	○
20 x 20 x 20 x 1,5	●	40 x 40 x 40 x 3	○	40 x 60 x 40 x 5	○
20 x 20 x 20 x 2	●	40 x 40 x 40 x 4	●	60 x 60 x 60 x 5	○
20 x 20 x 20 x 3	○	12 x 45,5 x 12 x 2,5	○	60 x 60 x 60 x 6	○
25 x 20 x 25 x 2	○	25 x 50 x 25 x 3	○	25 x 65 x 25 x 2,5	○
30 x 20 x 30 x 2	●	30 x 50 x 30 x 2	○	55 x 65 x 55 x 2,5	○
40 x 20 x 40 x 2	●	30 x 50 x 30 x 3	●	20 x 60 x 20 x 2	○
40 x 20 x 40 x 2,5	○	50 x 50 x 50 x 2	○	30 x 60 x 30 x 3	○
10 x 22 x 10 x 1,5	○	50 x 50 x 50 x 3	●	40 x 60 x 40 x 2,5	○
23 x 23 x 23 x 1,5	○	50 x 50 x 50 x 4	●	40 x 60 x 40 x 3	○
15 x 25 x 15 x 2	○	50 x 50 x 50 x 5	○	40 x 60 x 40 x 4	○
20 x 25 x 20 x 2	○	45 x 55 x 45 x 2	●	40 x 60 x 40 x 5	○
20 x 25 x 20 x 3	○	30 x 80 x 30 x 3	○	60 x 60 x 60 x 5	○
25 x 25 x 25 x 2	●	40 x 80 x 40 x 3	○	60 x 60 x 60 x 6	○
25 x 25 x 25 x 3	○	40 x 80 x 40 x 4	○	25 x 65 x 25 x 2,5	○
20 x 30 x 20 x 2	●	45 x 80 x 45 x 3	○	55 x 65 x 55 x 2,5	○
30 x 30 x 30 x 2	●	40 x 86 x 40 x 3	●		
30 x 30 x 30 x 3	○	50 x 88 x 50 x 3	○		

- Lagervorrat
- Werksvorrat



**Alu T-Profile aus EN AW-6060 T66 (ALMgSi 0,5 F22)**  
 nach EN 573-3, 755-1/-2, DIN 1748-4, Länge 6000 mm

Abmessung	Abmessung	Abmessung
15 x 15 x 1,5 ○	30 x 30 x 3,0 ●	50 x 50 x 5,0 ○
15 x 15 x 2,0 ○	35 x 35 x 3,0 ○	60 x 60 x 4,0 ●
20 x 20 x 1,5 ○	40 x 20 x 2,0 ○	60 x 60 x 6,0 ○
20 x 20 x 2,0 ●	40 x 40 x 2,0 ○	60 x 100 x 5,0 ○
20 x 40 x 2,0 ○	40 x 40 x 3,0 ●	80 x 50 x 2,0 ○
25 x 25 x 2,0 ●	40 x 40 x 4,0 ○	100 x 50 x 2,0 ○
25 x 25 x 3,0 ●	50 x 50 x 2,0 ○	100 x 60 x 5,0 ○
30 x 30 x 2,0 ○	50 x 50 x 4,0 ●	120 x 50 x 2,0 ○

**Alu Z-Profile aus EN AW-6060 T66 (ALMgSi 0,5 F22)**  
 nach EN 573-3, 755-1/-2, DIN 1748-4, Länge 6000 mm

Abmessung	Abmessung	Abmessung
18 x 20 x 21 x 3,0 ○	30 x 25 x 25 x 3,0 ○	40 x 40 x 40 x 3,0 ○
20 x 18 x 21 x 3,0 ○	30 x 30 x 30 x 3,0 ○	43 x 18 x 18 x 3,0 ○
20 x 20 x 20 x 2,0 ○	32 x 17 x 17 x 2,0 ○	60 x 24 x 24 x 4,0 ○
25 x 17 x 17 x 2,0 ○		

**Alu Vierkantstangen aus EN AW-6060 T66 (ALMgSi 0,5 F22)**  
 nach EN 573-3, 755-1/-2, DIN 1748-4, Länge 6000 mm

Abmessung	Abmessung	Abmessung
8 ○	18 ○	35 ○
10 ●	20 ●	40 ○
12 ○	25 ○	50 ○
15 ●	30 ○	60 ○
16 ○		

- Lagervorrat
- Werksvorrat

**Alu Rundstangen aus EN AW-6060 T66 (ALMgSi 0,5 F22)  
nach EN 573-3, 755-1/-2/-3, Herstellungslänge 6000 mm**

5	6	8	10	12	15	16	18	20	25	30	35	40	45	50	55	60	70
○	○	○	●	●	○	○	○	●	○	●	○	○	○	○	○	○	○
75	80																
○	○																

**Alu Rundstangen aus EN AW-2007 (ALCuMgPb)  
gepresst nach DIN 1725/1714/1799, Herstellungslänge 6000 mm**

10	12	15	16	18	20	22	25	26		30	35	36	40	45	50	55	60
●	○	○	○	○	●	○	○	○	○	●	●	●	●	○	●	○	●
62	65	70	75	80	85	90	95	100	110	120	125	130	140	150	160	170	180
●	○	●	○	●	○	●	○	●	●	●	●	●	●	●	○	○	●
190	200	210	220	230	240	250	260	270	280	290	300	310	320	330	340	350	360
○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○
380	400	420	430	450	500	520	550										
○	○	○	○	○	○	○	○										

- Lagervorrat
- Werksvorrat

**Alu Rundrohre aus EN AW-6060 T66 (ALMgSi 0,5 F22)**

nach EN 573-3, 755-1/-2, DIN 1748-4, Herstellungslänge 6000 mm

O.D.	W.T.		O.D.	W.T.		O.D.	W.T.		O.D.	W.T.		O.D.	W.T.		O.D.	W.T.				
mm	mm		mm	mm		mm	mm		mm	mm		mm	mm		mm	mm				
6	1,0	○	20	3,0	○	30	5,0	○	48	3,0	○	60	4,0	○	80	4,0	○	120	5,0	○
8	1,0	○	20	5,0	○	32	1,5	○	48	4,0	○	60	5,0	○	80	5,0	○	130	5,0	○
10	1,0	○	22	2,0	○	32	2,0	○	50	1,5	○	60	10,0	○	80	10,0	○	140	5,0	○
10	2,0	○	25	2,0	●	35	2,0	●	50	2,0	●	65	5,0	○	90	3,0	○	150	3,0	○
12	1,0	○	25	2,5	○	35	3,0	○	50	2,5	○	70	2,0	○	90	5,0	○	150	5,0	○
12	2,0	○	25	3,0	○	40	1,5	○	50	3,0	●	70	3,0	●	100	2,0	○	160	3,0	○
15	1,0	○	25	4,0	○	40	2,0	●	50	4,0	○	70	5,0	○	100	2,5	○	160	5,0	○
15	1,5	○	25	5,0	○	40	3,0	●	50	5,0	○	70	7,0	○	100	3,0	○	180	5,0	○
16	2,0	○	28	1,5	○	40	4,0	○	50	10,0	○	75	5,0	○	100	4,0	○	200	5,0	○
18	2,0	○	30	1,5	○	40	5,0	○	50	5,0	○	76	3,0	●	100	5,0	○			
20	1,0	●	30	2,0	●	42	3,0	●	60	2,0	●	80	2,0	○	106	3,0	○			
20	2,0	●	30	3,0	○	45	3,0	○	60	2,5	○	80	2,5	○	108	4,0	○			
20	3,0	○	30	4,0	○	48	2,5	○	60	3,0	●	80	3,0	○	110	5,0	○			

- Lagervorrat
- Werksvorrat



**Alu Quadratrohre aus EN AW-6060 T66 (ALMgSi 0,5 F22)**

nach EN 573-3, 755-1/-2, DIN 1748-4, Herstellungslänge 6000 mm

Abmessung		Abmessung		Abmessung		Abmessung		Abmessung			
10 x 10 x 1,0	○	25 x 25 x 3,0	○	40 x 40 x 2,5	○	50 x 50 x 4,0	●	80 x 80 x 2,0	○	100 x 100 x 4,0	●
15 x 15 x 1,5	○	30 x 30 x 2,0	●	40 x 40 x 3,0	●	50 x 50 x 5,0	○	80 x 80 x 3,0	●	100 x 100 x 5,0	○
15 x 15 x 2,0	●	30 x 30 x 3,0	●	40 x 40 x 4,0	●	55 x 55 x 2,0	○	80 x 80 x 4,0	●	110 x 110 x 4,0	○
20 x 20 x 1,5	○	34 x 34 x 2,0	○	40 x 40 x 5,0	●	60 x 60 x 2,0	●	80 x 80 x 5,0	○	120 x 120 x 2,5	○
20 x 20 x 2,0	●	34 x 34 x 3,0	○	45 x 45 x 2,0	○	60 x 60 x 3,0	●	90 x 90 x 4,0	○	120 x 120 x 5,0	○
20 x 20 x 3,0	○	35 x 35 x 2,0	●	50 x 50 x 2,0	●	60 x 60 x 4,0	●	100 x 100 x 2,0	●	150 x 150 x 5,0	○
25 x 25 x 1,5	○	40 x 40 x 1,5	○	50 x 50 x 2,5	○	70 x 70 x 2,0	○	100 x 100 x 2,5	○		
25 x 25 x 2,0	●	40 x 40 x 2,0	●	50 x 50 x 3,0	●	70 x 70 x 4,0	●	100 x 100 x 3,0	●		

**Alu Rechteckrohre aus EN AW-6060 T66 (ALMgSi 0,5 F22)**

nach EN 573-3, 755-1/-2, DIN 1748-4, Herstellungslänge 6000 mm

Abmessung		Abmessung		Abmessung		Abmessung		Abmessung			
20 x 10 x 1,5	○	40 x 25 x 3,0	○	60 x 25 x 2,0	○	80 x 40 x 2,5	○	100 x 50 x 5,0	○	150 x 60 x 5,0	○
20 x 10 x 2,0	●	40 x 30 x 2,0	●	60 x 30 x 2,0	●	80 x 40 x 3,0	●	100 x 60 x 2,5	○	150 x 100 x 3,0	○
20 x 15 x 2,0	●	40 x 30 x 2,5	○	60 x 30 x 3,0	●	80 x 40 x 4,0	●	100 x 60 x 3,0	○	160 x 40 x 2,0	○
25 x 15 x 2,0	○	40 x 30 x 3,0	●	60 x 34 x 3,0	○	80 x 50 x 2,0	○	100 x 60 x 4,0	○	160 x 60 x 4,0	○
25 x 20 x 2,0	●	40 x 30 x 4,0	○	60 x 40 x 2,0	●	80 x 50 x 3,0	○	100 x 80 x 3,0	○	160 x 60 x 5,0	○
30 x 10 x 1,5	○	45 x 25 x 2,0	○	60 x 40 x 2,5	○	80 x 50 x 4,0	○	110 x 60 x 4,0	○	160 x 80 x 4,0	○
30 x 15 x 2,0	○	50 x 15 x 2,0	○	60 x 40 x 3,0	●	80 x 60 x 3,0	○	120 x 30 x 3,0	○	170 x 70 x 4,0	○
30 x 20 x 2,0	●	50 x 20 x 2,0	●	60 x 40 x 4,0	●	80 x 60 x 4,0	○	120 x 40 x 2,0	○	180 x 40 x 4,0	○
30 x 20 x 3,0	○	50 x 20 x 3,0	●	60 x 50 x 3,0	○	100 x 18 x 2,0	○	120 x 40 x 4,0	○	180 x 50 x 4,0	○
30 x 25 x 2,0	○	50 x 20 x 4,0	○	60 x 50 x 4,0	○	100 x 20 x 2,0	●	120 x 50 x 4,0	○	180 x 60 x 3,0	○
34 x 20 x 2,0	○	50 x 25 x 3,0	○	70 x 30 x 2,0	○	100 x 25 x 2,0	○	120 x 60 x 3,0	○	200 x 50 x 4,0	○
34 x 20 x 3,0	○	50 x 30 x 2,0	●	70 x 30 x 3,0	○	100 x 30 x 2,0	○	120 x 60 x 4,0	○	200 x 60 x 4,0	○
35 x 20 x 2,0	○	50 x 30 x 2,5	○	70 x 40 x 3,0	○	100 x 30 x 3,0	●	120 x 80 x 3,0	○	200 x 80 x 4,0	○
35 x 25 x 2,0	○	50 x 30 x 3,0	●	80 x 20 x 2,0	●	100 x 40 x 2,0	○	140 x 40 x 4,0	○	200 x 100 x 4,0	○
40 x 15 x 2,0	○	50 x 40 x 2,0	○	80 x 20 x 2,5	○	100 x 40 x 2,5	○	140 x 60 x 4,0	○		
40 x 20 x 1,5	○	50 x 40 x 2,5	○	80 x 30 x 2,0	○	100 x 40 x 3,0	●	140 x 80 x 4,0	○		
40 x 20 x 2,0	●	50 x 40 x 3,0	○	80 x 30 x 3,0	○	100 x 40 x 4,0	●	150 x 40 x 4,0	○		
40 x 20 x 3,0	○	50 x 40 x 4,0	○	80 x 30 x 4,0	○	100 x 50 x 3,0	●	150 x 50 x 4,0	○		
40 x 25 x 2,0	○	60 x 20 x 2,0	●	80 x 40 x 2,0	●	100 x 50 x 4,0	●	150 x 60 x 4,0	○		

- Lagervorrat
- Werksvorrat

Flachstahl DIN EN 10058  
 W.-Nr. 1.4301 DIN EN 10088/1-3  
 vom Band geschnitten

Abmessung	2	3	4	5	6	8	10	12	15	20	25	30	35	40	50	60
10		○	○													
12		○														
14																
15		○	○	●	○											
16																
18																
20		●	●	●	●	●	●									
25		●	○	●	○	○	○	○								
30		●	●	●	●	●	●	○	○							
35		○	○	○	○	○	○			○						
40		●	●	●	●	●	●	○	○							
45				●	○	○	○	○	○	○	○	○				
50		●	●	●	●	●	●	○		○	○	○	○	○	○	
55			○	○	○											
60		○	●	●	●	●	●									
65				○		○	○									
70		○	○	○	○	○	○									
75				○												
80		○	○	●	●	●	●	○	○							
90				○	○	○	○									
100			○	●	●	●	●	○	○							
110						○	○									
120				○	○	○	○	○								
130						○	○	○								
140						○	○			○						
150				●	○	○	●	○	○							
160						○	○	○	○							
170							○	○	○							
180																
200				○	○	○	○	○	○	○						
220																
240																
250						○	○			○						
300							○			○						

- Lagervorrat
- Werksvorrat

Flachstahl DIN EN 10058  
W.-Nr. 1.4301 DIN EN 10088/1-3  
gewalzt

Abmessung	2	3	4	5	6	8	10	12	15	20	25	30	35	40	50	60
10																
12																
14																
15				○	○	○	○									
16																
18																
20		○	○	○	○	○	○	○	○	○						
25		○	○	○	○	○	○	○	○	○						
30		○	○	○	○	○	○	○	○	○	○					
35			○	○	○	○	○	○	○	○			○			
40		○	○	○	○	○	○	○	○	○	○	○				
45							○	○	○	○	○	○				
50					○	○	○	○	○	○	○	○	○	○		
55																
60				○	○	○	○	○	○	○	○	○	○	○	○	
65																
70				○	○	○	○	○	○	○	○	○		○	○	○
75																
80				○	○	○	○	○	○	○	○	○	○	○	○	○
90						○	○	○	○	○						
100				○	○	○	○	○	○	○	○	○	○	○	○	○
110										○	○	○				
120						○	○	○	○	○	○	○		○		
130							○	○	○							
140								○	○							
150							○	○	○	○	○	○		○	○	
160																
170																
180																
200																
220																
240																
250																
300																

- Lagervorrat
- Werksvorrat

Flachstahl DIN EN 10058  
W.-Nr. 1.4301 DIN EN 10088/1-3  
geschliffen Korn 240

Abmessung	2	3	4	5	6	8	10	12	15	20	25	30	35	40	50	60
10		●														
12																
14																
15																
16																
18																
20		○	○	●	○	○	○									
25		○	○	●	○	○	○									
30		○	○	●	●	●	●	○								
35																
40		○	○	●	●	●	●	○	○							
45								○	○							
50			○	●	○	●	●	○	○							
55																
60			○	●	○	●	●	○	○							
65																
70				○			○									
75																
80				○	○	●	●	○								
90																
100				●	○		●									
110																
120				○		○	○									
130																
140																
150				○			○									
160																
170																
180																
200																
220																
240																
250																
300																

- Lagervorrat
- Werksvorrat



Rundstahl DIN EN 10278, W.-Nr. 1.4301 DIN EN 10088/1-3  
 blank gezogen, Tol. H9

3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
○	●	●	●	○	■	○	■		■	○	●	●	●	○	●	○	●
21	22	23	24	25	26	27	28	30	32	33	34	35	36	38	40	42	45
○	○	○	○	●	○	○	○	●	○	○	○	○	○	○	○	○	○
46	48	50	55	60	65	70	75	80	85	90	100						
○	○	○	○	○	○	○	○	○	○	○	○						

Rundstahl DIN EN 10278, W.-Nr. 1.4305 DIN EN 10088/1-3  
 blank gezogen, Tol. H9

3	4	5	6	7	8	9	10	11		13	14	15	16	17	18	19	20
○	○	○	○	○	●	○	●	○	●	○	○	○	○	○	○	○	●
21	22	23	24	25	26	27	28	30	32	33	34	35	36	38	40	42	45
○	●		●	●	○	○	●	●	●	○	○	●	○	○	●	○	●
46	48	50	55	60	65	70	75	80	85	90	100						
○	○	●	●	●	○	○	○	○	○	○	○						

Rundstahl DIN EN 10278, W.-Nr. 1.4301 DIN EN 10088/1-3  
 blank gezogen, Tol. H9, geschliffen Korn 240/320

3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
○	●	●	●	○	■	○	■		■	○	●	●	●	○	●	○	●
21	22	23	24	25	26	27	28	30	32	33	34	35	36	38	40	42	45
○	○	○	○	●	○	○	○	●	○	○	○	○	○	○	○	○	○
46	48	50	55	60	65	70	75	80	85	90	100						
○	○	○	○	○	○	○	○	○	○	○	○						

- Lagervorrat 3 Meter
- Lagervorrat 6 Meter
- Werksvorrat





Vierkant DIN EN 10278, W.-Nr. 1.4301 DIN EN 10088/1-3  
blank gezogen

6	8	10	12	13	14	15	16	18	20	22	25	30	35	40	45	50	60
○	●	●	●	○	○	●	○	○	●	○■	○■	○■	○■	○■	○■	○■	○■
70	75	80	90	100	120	150											
○■	○■	■	■	■	■	■											

Vierkant DIN EN 10278, W.-Nr. 1.4305 DIN EN 10088/1-3  
blank gezogen

8	10	12	12	15	20	25	30	35	40	50	60
●	○	○	○	○	○	○	○	○	○	○	○

Vierkant DIN EN 10278, W.-Nr. 1.4404 DIN EN 10088/1-3  
blank gezogen

20	25	30	40	45	50	60
■	■	■	■	■	■	■

Vierkant DIN EN 10278, W.-Nr. 1.4571 DIN EN 10088/1-3  
blank gezogen

8	10	12	14	15	20	22	25	30	35	40	50	60	70	80	100		
○	○	○	○	○	○■	○	○■	○■	○	○■	○■	○■	○	○	○	○■	○■

Vierkant DIN EN 10278, W.-Nr. 1.4301 DIN EN 10088/1-3  
blank gezogen, geschliffen Korn 240/320

8	10	12	15
○	○	○	○

- Lagervorrat gezogen
- Werksvorrat gezogen
- Werksvorrat gewalzt

**Winkelstahl angelehnt DIN EN 10056-1  
blank gezogen**

Abmessung	W.Nr. 1.4301	W.Nr. 1.4541	W.Nr. 1.4404	W.Nr. 1.4571	W.Nr. 1.4301 Korn 240
15 x 15 x 2	○				
15 x 15 x 3	○			○	
20 x 20 x 2	○				
20 x 20 x 3	●		○	○	○
25 x 25 x 3	●		○	○	○
25 x 25 x 4	○			○	
25 x 25 x 5	○				
30 x 30 x 3	●		○	○	○
30 x 30 x 4	○		○	○	○
30 x 30 x 5	○				
30 x 30 x 6	○				
35 x 35 x 4			○	○	○
40 x 40 x 4	●		○	○	○
40 x 40 x 5	○	○	○	○	○
40 x 40 x 6	○				
40 x 40 x 8	○				
45 x 45 x 5	○			○	
50 x 50 x 3	○				
50 x 50 x 4	○				
50 x 50 x 5	●	○	○	○	○
50 x 50 x 6	○			○	
50 x 50 x 7	○				
50 x 50 x 8	○				
50 x 50 x 10	○				
55 x 55 x 6	○				
60 x 60 x 5	○				
60 x 60 x 6	●		○	○	○
60 x 60 x 8	○				
60 x 60 x 10	○				
70 x 70 x 7	○		○	○	
80 x 80 x 8	●		○	○	
80 x 80 x 10	○				
90 x 90 x 9	○			○	
100 x 100 x 6	○				
100 x 100 x 8	○				
100 x 100 x 10	○		○	○	
100 x 100 x 12	○				
100 x 100 x 13	○				
120 x 120 x 10	○				
120 x 120 x 13	○				
130 x 130 x 12	○				
150 x 150 x 10	○				
150 x 150 x 13	○				
200 x 200 x 13	○				

- Lagervorrat
- Werksvorrat



**Winkelstahl ungleichschenkelig angelehnt DIN EN 10056-1  
blank gezogen**

Abmessung	W.Nr. 1.4301	W.Nr. 1.4571	Abmessung	W.Nr. 1.4301	W.Nr. 1.4571
20 x 10 x 3	○		75 x 55 x 9		○
25 x 15 x 3			80 x 40 x 6	○	○
30 x 15 x 3			80 x 40 x 8	○	○
30 x 20 x 3	○	○	80 x 65 x 6	○	
30 x 20 x 4	○	○	80 x 65 x 8	○	
40 x 20 x 3	○		80 x 65 x 10		
40 x 20 x 4	○	○	90 x 60 x 6	○	○
40 x 25 x 4			90 x 60 x 8	○	
40 x 30 x 4			90 x 75 x 7	○	
40 x 30 x 5	○	○	90 x 75 x 9	○	
45 x 30 x 3			100 x 50 x 6	○	○
45 x 30 x 4			100 x 50 x 8	○	○
45 x 30 x 5	○		100 x 50 x 10	○	○
50 x 20 x 4			100 x 65 x 6		○
50 x 25 x 3			100 x 65 x 7	○	
50 x 25 x 4	○		100 x 65 x 8	○	○
50 x 30 x 3			100 x 65 x 9		
50 x 30 x 4	○		100 x 65 x 10		
50 x 30 x 5	○	○	100 x 75 x 8		
50 x 40 x 5	○	○	100 x 75 x 9	○	○
60 x 30 x 5	○	○	100 x 75 x 10		
60 x 30 x 6			120 x 80 x 8	○	○
60 x 30 x 7	○		120 x 80 x 10	○	○
60 x 40 x 5	○		120 x 80 x 12	○	
60 x 40 x 6	○		130 x 65 x 8	○	○
60 x 40 x 8			130 x 65 x 10	○	○
65 x 40 x 7			130 x 75 x 10	○	
65 x 50 x 5	○	○	130 x 90 x 12		
65 x 50 x 7	○	○	150 x 75 x 8	○	
65 x 50 x 9			150 x 75 x 10	○	○
70 x 50 x 6	○	○	150 x 100 x 10	○	○
75 x 50 x 6			150 x 100 x 12		
75 x 50 x 7	○	○	200 x 100 x 12	○	
75 x 55 x 5			200 x 100 x 13		

- Lagervorrat
- Werksvorrat

**Rundrohre geschweißt, W.-Nr. 1.4301 + Folie  
geschliffen**

Abmessung	Korn 240/ 320	hochglanz- poliert	Abmessung	Korn 240/ 320	hochglanz- poliert	Abmessung	Korn 240/ 320	hochglanz- poliert
10,0 x 1,0	○		32,0 x 2,0	○	○	76,1 x 2,0	●	
10,0 x 1,5	○		32,0 x 3,0	○	○■	76,1 x 2,5	○	
12,0 x 1,0	○		33,7 x 1,5	○		76,1 x 3,0	○	
12,0 x 1,5	○	○	33,7 x 2,0	●	○■	76,1 x 4,0	○	
12,0 x 2,0	○		33,7 x 2,5	●		80,0 x 2,0	●	
14,0 x 1,5	○		33,7 x 3,0	○		84,0 x 2,0	○	
14,0 x 2,0	○		35,0 x 1,5	○		88,9 x 2,0	●	
15,0 x 1,0	○		35,0 x 2,0	○	○	88,9 x 3,0	○	
15,0 x 1,5	○	○	38,0 x 1,5	○	○	88,9 x 4,0	○	
15,0 x 2,0	○		38,0 x 2,0	○	○	101,6 x 2,0	●	
16,0 x 1,0	○		40,0 x 1,5	○	○	101,6 x 3,0	○	
16,0 x 1,5	○	○	40,0 x 2,0	●	○	101,6 x 4,0	○	
16,0 x 2,0	●	○	40,0 x 3,0	○		104,0 x 2,0	○	
17,2 x 1,5	○		42,4 x 1,5	○		108,0 x 2,0	○	
17,2 x 2,0	○		42,4 x 2,0	●	○	114,3 x 2,0	●	
18,0 x 1,5	○	○	42,4 x 2,5	●	○	114,3 x 3,0	○	
18,0 x 2,0	○		42,4 x 2,6			129,0 x 2,0	○	
20,0 x 1,0	○		42,4 x 3,0			139,7 x 2,0	○	
20,0 x 1,2	○	○	42,4 x 3,2			139,7 x 3,0	○	
20,0 x 1,5	○	○	44,5 x 2,0			139,7 x 4,0	○	
20,0 x 2,0	●	○	48,3 x 1,5	○		154,0 x 2,0	○	
21,3 x 2,0	●		48,3 x 2,0	●	○	154,0 x 3,0	○	
21,3 x 2,5	○		48,3 x 2,5	○	○	168,3 x 2,0	○	
22,0 x 1,5		○	48,3 x 2,6		○	168,3 x 3,0	○	
22,0 x 2,0	○	○	48,3 x 3,0	○		204,0 x 2,0	○	
25,0 x 1,0	○		48,3 x 3,2					
25,0 x 1,2	○	○	50,0 x 1,5	○				
25,0 x 1,5	○	○	50,0 x 2,0	●	○			
25,0 x 2,0	●	○■	50,8 x 1,5	○	○			
25,4 x 1,5			50,8 x 2,0		○			
26,9 x 1,5	○		51,0 x 1,2					
26,9 x 2,0	●	○■	52,0 x 1,5	○				
26,9 x 2,5	○		54,0 x 2,0	●				
28,0 x 1,5	○		60,3 x 1,5	○				
28,0 x 2,0	○	○	60,3 x 2,0	●	○			
30,0 x 1,5	○	○	60,3 x 3,0	○				
30,0 x 2,0	●	○■	60,3 x 4,0	○				
30,0 x 3,0	○		70,0 x 1,5	○				
32,0 x 1,2		○	70,0 x 2,0	○				

- Werksvorrat ungeglüht
- Werksvorrat
- Werksvorrat geglüht

## Rundrohre geschweißt, Deko

Abmessung	W.-Nr. 1.4301 Dekorohr ungeglüht	W.-Nr. 1.4301 Leitungsrohr geglüht	W.-Nr. 1.4301 Leitungsrohr ungeglüht	W.-Nr. 1.4404 Leitungsrohr ungeglüht	W.-Nr. 1.4571 Leitungsrohr ungeglüht
6,0 x 1,0		○			○
8,0 x 1,0	○	○	○	○	○
8,0 x 1,5	○	○			
10,0 x 1,0	○	○	○	○	○
10,0 x 1,5	●	○	○	○	
12,0 x 1,0	●	○		○	
12,0 x 1,5	○	○		○	○
12,0 x 2,0	○	○			
14,0 x 1,0	○				
14,0 x 1,5	○				
14,0 x 2,0	○				
15,0 x 1,0	○	○			○
15,0 x 1,5	●	○			
15,0 x 2,0	○				
16,0 x 1,0	○	○			
16,0 x 1,5	○	○			
16,0 x 2,0	●				
17,2 x 1,5	○				
17,2 x 1,6		○		○	
17,2 x 2,0	●	○			
17,2 x 2,3		○	○	○	
17,2 x 2,5	○				
18,0 x 1,0	○	○			○
18,0 x 1,5	○	○	○		○
18,0 x 2,0	○				
19,0 x 1,5	○	○			
20,0 x 1,0	○	○			○
20,0 x 1,2	○	○			
20,0 x 1,5	●	○		○	○
20,0 x 2,0	○	○			○
20,0 x 2,5	○				
21,3 x 1,5	○				
21,3 x 1,6			○	○	
21,3 x 2,0	●	○		○	○
21,3 x 2,5	●				
21,3 x 2,6		○	○	○	○
21,3 x 3,0	○				

Abmessung	W.-Nr. 1.4301 Dekorohr ungeglüht	W.-Nr. 1.4301 Leitungsrohr geglüht	W.-Nr. 1.4301 Leitungsrohr ungeglüht	W.-Nr. 1.4404 Leitungsrohr ungeglüht	W.-Nr. 1.4571 Leitungsrohr ungeglüht
22,0 x 1,0	○		○		
22,0 x 1,2	○				
22,0 x 1,5	○	○	○		
22,0 x 2,0	○	○			
23,0 x 1,5		○			
25,0 x 1,0					○
25,0 x 1,5		○	○	○	○
25,0 x 2,0	●	○	○	○	○
25,0 x 2,5	○	○			○
25,0 x 3,0	○				○
25,4 x 1,2	○		○		○
25,4 x 1,5	○		○		○
26,9 x 1,5	○				○
26,9 x 1,6	○			○	○
26,9 x 2,0	●	○	○	○	○
26,9 x 2,5					○
26,9 x 2,6			○	○	○
26,9 x 3,0					
28,0 x 1,0					
28,0 x 1,5			○		
28,0 x 2,0					
30,0 x 1,0			○		
30,0 x 1,5		○			
30,0 x 2,0	●	○		○	○
30,0 x 2,5					
30,0 x 3,0					
32,0 x 1,0					
32,0 x 1,5		○			
32,0 x 2,0		○			
32,0 x 3,0					
33,7 x 1,5					
33,7 x 1,6			○	○	○
33,7 x 2,0	●	○	○	○	
33,7 x 2,5	●				
33,7 x 2,6		○	○	○	○
33,7 x 3,0					○
33,7 x 3,2		○	○	○	○
33,7 x 3,6				○	
33,7 x 4,0					
34,0 x 1,0			○		
35,0 x 1,5	●				
35,0 x 2,0					
35,0 x 2,5					
38,0 x 1,0					
38,0 x 1,2		○			

Abmessung	W.-Nr. 1.4301 Dekorohr ungeglüht	W.-Nr. 1.4301 Leitungsrohr geglüht	W.-Nr. 1.4301 Leitungsrohr ungeglüht	W.-Nr. 1.4404 Leitungsrohr ungeglüht	W.-Nr. 1.4571 Leitungsrohr ungeglüht
38,0 x 1,5		○			○
38,0 x 2,0	●	○			
38,0 x 2,5	○				
38,0 x 3,0	○				
40,0 x 1,0	○		○	○	
40,0 x 1,5	○	○	○	○	
40,0 x 2,0	●	○			○
40,0 x 2,5	○				
40,0 x 3,0	○				
40,0 x 4,0	○				
42,4 x 1,5	○				
42,4 x 1,6			○	○	○
42,4 x 2,0	●	○	○	○	○
42,4 x 2,5	●				
42,4 x 2,6		○	○	○	○
42,4 x 3,0	○				○
42,4 x 3,2	○	○	○	○	○
42,4 x 4,0	○				
43,0 x 1,5	○				
44,5 x 1,5		○	○		
44,5 x 2,0		○	○	○	
44,5 x 2,6			○		
45,0 x 1,5	○				
45,0 x 2,0	○				
45,0 x 2,5	○				
45,0 x 3,0	○				
48,3 x 1,5	○				
48,3 x 1,6			○	○	
48,3 x 2,0	●	○	○	○	○
48,3 x 2,5	●				
48,3 x 2,6		○	○	○	○
48,3 x 3,0					○
48,3 x 3,2		○	○	○	○
48,3 x 3,6			○		
48,3 x 4,0					
50,0 x 1,0					
50,0 x 1,5		○			
50,0 x 2,0		○			
50,0 x 3,0					
50,8 x 1,2			○		
50,8 x 1,5			○		
50,8 x 2,0			○		
50,8 x 2,5			○		
51,0 x 1,5	○		○		

Abmessung	W.-Nr. 1.4301 Dekorohr ungeglüht	W.-Nr. 1.4301 Leitungsrohr geglüht	W.-Nr. 1.4301 Leitungsrohr ungeglüht	W.-Nr. 1.4404 Leitungsrohr ungeglüht	W.-Nr. 1.4571 Leitungsrohr ungeglüht
51,0 x 2,0		○	○		
52,0 x 1,0			○		
52,0 x 1,5			○	○	
53,0 x 1,5	○		○		
54,0 x 2,0	○			○	○
57,0 x 1,5			○		
57,0 x 2,0		○	○		
57,0 x 3,0			○		
60,3 x 1,5	○				
60,3 x 1,6				○	○
60,3 x 2,0	●	○	○	○	○
60,3 x 2,5	●				
60,3 x 2,6			○		○
60,3 x 3,0	○				○
60,3 x 3,6		○	○	○	○
60,3 x 4,0	○				
63,5 x 1,5	○	○		○	
63,5 x 2,0	○				
70,0 x 1,5	○		○		
70,0 x 2,0	○		○		○
70,0 x 3,0	○		○		
76,1 x 1,5	○				
76,1 x 1,6				○	
76,1 x 2,0	●	○	○	○	○
76,1 x 2,5	○				
76,1 x 2,6			○	○	○
76,1 x 3,0	○			○	○
76,1 x 3,6			○	○	
76,1 x 4,0	○	○			
80,0 x 1,5			○		
80,0 x 2,0	○	○	○		
80,0 x 3,0	○				
80,0 x 4,0	○				
84,0 x 2,0			○	○	
85,0 x 2,0			○		
88,9 x 1,5			○		
88,9 x 1,6			○		
88,9 x 2,0	●			○	○
88,9 x 2,5	○				
88,9 x 2,6					○
88,9 x 3,0	●			○	○
88,9 x 4,0	○			○	
101,6 x 1,5	○				
101,6 x 2,0	○			○	



Abmessung	W.-Nr. 1.4301 Dekorohr ungeglüht	W.-Nr. 1.4301 Leitungsrohr geglüht	W.-Nr. 1.4301 Leitungsrohr ungeglüht	W.-Nr. 1.4404 Leitungsrohr ungeglüht	W.-Nr. 1.4571 Leitungsrohr ungeglüht
101,6 x 3,0	○				
101,6 x 4,0	○				
104,0 x 2,0	○		○	○	○
108,0 x 2,0			○		○
108,0 x 3,0			○		○
108,0 x 4,0			○		○
114,3 x 1,6				○	
114,3 x 2,0	○			○	○
114,3 x 2,5	○				
114,3 x 2,6					○
114,3 x 3,0	○			○	○
114,3 x 3,6			○		○
114,3 x 4,0	○				
129,0 x 2,0			○	○	
133,0 x 2,0			○		
133,0 x 3,0			○		
133,0 x 4,0			○		
139,7 x 1,6				○	
139,7 x 2,0			○	○	○
139,7 x 3,0			○	○	○
139,7 x 4,0			○		
154,0 x 2,0			○	○	○
154,0 x 3,0			○		
159,0 x 2,0			○		
159,0 x 3,0			○		
159,0 x 4,0			○		
168,3 x 2,0			○	○	○
168,3 x 2,5			○		
168,3 x 2,6					○
168,3 x 3,0			○		○
168,3 x 4,0			○		
204,0 x 2,0			○	○	○
219,1 x 2,0			○	○	○
219,1 x 2,9				○	
219,1 x 3,0			○		○
219,1 x 4,0			○		
254,0 x 2,0			○		○
256,0 x 4,0			○		
273,0 x 2,0				○	
273,0 x 3,0			○	○	
304,0 x 2,0			○		

- Lagervorrat
- Werksvorrat

## Quadratrohre geschweisst

Abmessung	W.-Nr. 1.4301 metallblank	W.-Nr. 1.4301 geschliffen Korn 240/320	W.-Nr. 1.4571 metallblank	Abmessung	W.-Nr. 1.4301 metallblank	W.-Nr. 1.4301 geschliffen Korn 240/320	W.-Nr. 1.4571 metallblank
10 x 10 x 1,0	○	○		60 x 60 x 1,5	○		
15 x 15 x 1,0	○			60 x 60 x 2,0	●	●	○
15 x 15 x 1,2	○			60 x 60 x 2,5	○		
15 x 15 x 1,5	●	●		60 x 60 x 3,0	●	○	○
16 x 16 x 1,0	○			60 x 60 x 4,0	○	○	○
16 x 16 x 1,5	○			60 x 60 x 5,0	○		○
20 x 20 x 1,0	○	○		70 x 70 x 2,0	○		
20 x 20 x 1,2	○	○		70 x 70 x 3,0	○		
20 x 20 x 1,5	○	●	○	70 x 70 x 4,0	○		
20 x 20 x 2,0	●	●	○	70 x 70 x 5,0	○		○
25 x 25 x 1,0	○	○		80 x 80 x 2,0	○	●	○
25 x 25 x 1,2	○	○		80 x 80 x 3,0	●		○
25 x 25 x 1,5	○	○	○	80 x 80 x 4,0	○		○
25 x 25 x 2,0	●	●	○	80 x 80 x 5,0	○		○
25 x 25 x 2,5	○			80 x 80 x 6,0	○		○
30 x 30 x 1,0	○			100 x 100 x 2,0	○	●	○
30 x 30 x 1,2	○	○		100 x 100 x 3,0	●	●	○
30 x 30 x 1,5	○	○	○	100 x 100 x 4,0	○	○	○
30 x 30 x 2,0	●		○	100 x 100 x 5,0	○		○
30 x 30 x 2,5	○			100 x 100 x 6,0	○		○
30 x 30 x 3,0	●		○	120 x 120 x 3,0	○	○	○
35 x 35 x 1,5	○	○		120 x 120 x 4,0	○		○
35 x 35 x 2,0	●		○	120 x 120 x 5,0	○		○
35 x 35 x 3,0	○	○		120 x 120 x 6,0	○		○
40 x 40 x 1,2	○	○		120 x 120 x 8,0	○		
40 x 40 x 1,5	●	●	○	150 x 150 x 3,0	○		○
40 x 40 x 2,0	●	●	○	150 x 150 x 4,0	○		○
40 x 40 x 2,5	○			150 x 150 x 5,0	○		○
40 x 40 x 3,0	●	○	○	150 x 150 x 6,0	○		
40 x 40 x 4,0	●	○	○	150 x 150 x 8,0	○		
45 x 45 x 1,5	○	○		150 x 150 x 10,0	○		○
45 x 45 x 2,0	○	○		200 x 200 x 3,0	○		○
50 x 50 x 1,5	○	○		200 x 200 x 4,0	○		○
50 x 50 x 2,0	●	●	○	200 x 200 x 5,0	○		○
50 x 50 x 2,5	○			200 x 200 x 6,0	○		
50 x 50 x 3,0	●	○	○	200 x 200 x 8,0	○		
50 x 50 x 4,0	○	○	○	200 x 200 x 10,0	○		
50 x 50 x 5,0	○		○	300 x 300 x 5,0	○		

- Lagervorrat
- Werksvorrat

## Quadratrohre geschweisst

Abmessung	W.-Nr. 1.4301 metallblank	W.-Nr. 1.4301 geschliffen Korn 240/320	W.-Nr. 1.4571 metallblank	Abmessung	W.-Nr. 1.4301 metallblank	W.-Nr. 1.4301 geschliffen Korn 240/320	W.-Nr. 1.4571 metallblank
20 x 10 x 1,5	○	○		60 x 40 x 2,0	●	●	○
20 x 15 x 1,5	○			60 x 40 x 2,5	○		
25 x 10 x 1,5	○			60 x 40 x 3,0	●	●	○
25 x 15 x 1,5	○	○		60 x 40 x 4,0	○		
30 x 10 x 1,5	○	○		70 x 40 x 3,0	○		
30 x 15 x 1,0	○			70 x 40 x 4,0	○		
30 x 15 x 1,5	○	○	○	80 x 10 x 1,5	○		
30 x 15 x 2,0	●	○		80 x 10 x 2,0	○		
30 x 20 x 1,5	○	○		80 x 20 x 2,0	○	○	○
30 x 20 x 2,0	○		○	80 x 30 x 2,0	○		
40 x 10 x 1,5	○			80 x 30 x 3,0	○		
40 x 10 x 2,0	●	●		80 x 40 x 2,0	●	●	○
40 x 15 x 1,5	○			80 x 40 x 3,0	○	○	○
40 x 15 x 2,0	○			80 x 40 x 4,0	○	○	○
40 x 20 x 1,2	○	○		80 x 40 x 5,0	○		
40 x 20 x 1,5	○	●	○	80 x 50 x 2,0	○		
40 x 20 x 2,0	●	●	○	80 x 50 x 3,0	○		
40 x 20 x 3,0	○			80 x 50 x 4,0	○		
40 x 27 x 1,5	○			80 x 50 x 5,0	○		
40 x 30 x 1,5	○	○		80 x 60 x 2,0	○		
40 x 30 x 2,0	●	○		80 x 60 x 3,0	○	○	○
40 x 30 x 3,0	○			80 x 60 x 4,0	○		○
50 x 10 x 1,5	○	●		80 x 60 x 5,0	○		
50 x 10 x 2,0	○	●		100 x 20 x 2,0	○	○	
50 x 20 x 1,5	○	○		100 x 40 x 2,0	○	○	○
50 x 20 x 2,0	●	○	○	100 x 40 x 3,0	○	○	○
50 x 25 x 1,5	○		○	100 x 40 x 4,0	○		○
50 x 25 x 2,0	○	○	○	100 x 40 x 5,0	○		
50 x 25 x 3,0	○			100 x 50 x 2,0	○	○	○
50 x 30 x 1,5	○			100 x 50 x 3,0	○	●	○
50 x 30 x 2,0	●	●	○	100 x 50 x 4,0	○		○
50 x 30 x 3,0	○	○	○	100 x 50 x 5,0	○		○
50 x 40 x 2,0		○		100 x 50 x 6,0	○		
50 x 40 x 3,0		○		100 x 60 x 2,0	○		
60 x 10 x 1,5				100 x 60 x 3,0	○	○	○
60 x 10 x 2,0				100 x 60 x 4,0	○		○
60 x 20 x 1,2				100 x 60 x 5,0	○		○
60 x 20 x 1,5			○	100 x 80 x 2,0	○		
60 x 20 x 2,0		○	○	100 x 80 x 3,0	○		○
60 x 30 x 1,5			○	100 x 80 x 4,0	○		
60 x 30 x 2,0	●	○	○	120 x 40 x 2,0	○		○
60 x 30 x 3,0		○	○	120 x 40 x 3,0	○		
60 x 40 x 1,5		○	○	120 x 40 x 4,0	○		

Abmessung	W.-Nr. 1.4301 metallblank	W.-Nr. 1.4301 geschliffen Korn 240/320	W.-Nr. 1.4571 metallblank	Abmessung	W.-Nr. 1.4301 metallblank	W.-Nr. 1.4301 geschliffen Korn 240/320	W.-Nr. 1.4571 metallblank
120 x 60 x 2,0	○						
120 x 60 x 3,0	○	○	○				
120 x 60 x 4,0	○		○				
120 x 60 x 5,0	○		○				
120 x 60 x 6,0	○						
120 x 80 x 2,0	○						
120 x 80 x 3,0	○	○	○				
120 x 80 x 4,0	○		○				
120 x 80 x 5,0	○						
120 x 80 x 6,0	○						
140 x 80 x 3,0	○						
140 x 80 x 4,0	○						
140 x 80 x 5,0	○						
150 x 50 x 2,0	○						
150 x 50 x 3,0	○		○				
150 x 50 x 4,0	○						
150 x 50 x 5,0	○						
150 x 80 x 3,0	○						
150 x 100 x 3,0	○		○				
150 x 100 x 4,0	○						
150 x 100 x 5,0	○		○				
150 x 100 x 6,0	○		○				
150 x 100 x 8,0	○						
160 x 80 x 3,0	○						
160 x 80 x 4,0	○						
160 x 80 x 5,0	○		○				
200 x 100 x 3,0	○						
200 x 100 x 4,0	○		○				
200 x 100 x 5,0	○		○				
200 x 100 x 6,0	○		○				
200 x 100 x 8,0	○		○				
250 x 100 x 3,0	○		○				
250 x 100 x 4,0	○						
250 x 100 x 5,0	○		○				
250 x 100 x 6,0	○						
250 x 100 x 3,0	○						
250 x 150 x 4,0	○						
250 x 150 x 5,0	○		○				
250 x 150 x 8,0	○		○				
250 x 150 x 10,0	○						
300 x 100 x 3,0	○						
300 x 100 x 4,0	○						
300 x 100 x 5,0	○		○				

- Lagervorrat
- Werksvorrat

**Rohrbogen geschweisst Norm 3 s 90°, DIN 2605**

W.-Nr. 1.4541

Abmessung		Abmessung		Abmessung	
20,0 x 1,50	○	35,0 x 2,00	○	60,3 x 3,20	●■
20,0 x 2,00	○	38,0 x 2,00	○	70,0 x 2,00	●■
21,3 x 2,00	●■	40,0 x 2,00	●■	76,1 x 2,00	●■
21,3 x 2,60	○	42,4 x 2,00	●■	76,1 x 3,20	○
25,0 x 2,00	○	42,4 x 2,60	●■	80,0 x 2,00	○
26,9 x 2,00	●■	42,4 x 3,20		84,0 x 2,00	○
26,9 x 2,00	○	48,3 x 2,00	●■	88,9 x 2,00	○
28,0 x 2,60	○	48,3 x 2,60	●■	88,9 x 3,20	○
30,0 x 2,00	○	48,3 x 3,20		114,3 x 2,00	○
33,7 x 2,00	●■	50,0 x 2,00		114,3 x 2,60	○
33,7 x 2,60	●■	60,3 x 2,00	●■	114,3 x 3,20	○
33,7 x 3,20	○	60,3 x 2,60	●■		

- Lagervorrat
- Werksvorrat
- Werksvorrat (W.-Nr. 1.4301)

## Edelstahlbleche, rostfrei/kaltgewalzt nach DIN EN 10259/10088-2

Ausführung 2B (III C): kaltgewalzt, wärmebehandelt, gebeizt, leicht nachgewalzt = matt

Ausführung 2R (III D): kaltgewalzt, blankgeglüht, leicht nachgewalzt = glänzend

### Kleinformat 1000 x 2000 mm

Dicke	W.-Nr. 1.4301 2 B/III C	W.-Nr. 1.4301 2 R/III D	W.-Nr. 1.4541 2 B/III C	W.-Nr. 1.4571 2 B/III C	W.-Nr. 1.4404 2 B/III C
0,50 mm	●	○		○	
0,60 mm	○	○		○	
0,70 mm	○				
0,80 mm	○	○		○	
1,00 mm	●	○	○	●	○
1,25 mm	○	○		○	
1,50 mm	○	○	○	●	○
2,00 mm	●	○	○	●	○
2,50 mm	●	○			
3,00 mm	●	○	○	●	○
4,00 mm	○			○	○
5,00 mm	○			○	
6,00 mm	○			○	

### Mittelformat 1250 x 2500 mm

Dicke	W.-Nr. 1.4301 2 B/III C	W.-Nr. 1.4301 2 R/III D	W.-Nr. 1.4541 2 B/III C	W.-Nr. 1.4571 2 B/III C	W.-Nr. 1.4404 2 B/III C
0,50 mm	○	○		○	
0,60 mm	○	○		○	
0,70 mm	○				
0,80 mm	○	○		○	
1,00 mm	●	○	○	●	○
1,25 mm	○	○			
1,50 mm	●	○	○	●	○
2,00 mm	●	○	○	●	○
2,50 mm	●	○		○	
3,00 mm	●	○	○	●	○
4,00 mm	○			○	○
5,00 mm	○			○	
6,00 mm	○			○	

### Großformat 1500 x 3000 mm

Dicke	W.-Nr. 1.4301 2 B/III C	W.-Nr. 1.4301 2 R/III D	W.-Nr. 1.4541 2 B/III C	W.-Nr. 1.4571 2 B/III C	W.-Nr. 1.4404 2 B/III C
0,80 mm	○	○			
1,00 mm	●	○	○	●	○
1,25 mm	○				
1,50 mm	●	○	○	●	○
2,00 mm	●	○	○	●	○
2,50 mm	●	○		○	
3,00 mm	●	○	○	●	○
4,00 mm	○			○	○
5,00 mm	○			○	
6,00 mm	○			○	

- Lagervorrat
- Werksvorrat

**Edelstahlbleche, rostfrei/kaltgewalzt nach DIN EN 10259/10088-2  
W.-Nr. 1.4301**

Ausführung 2B (III C): kaltgewalzt, wärmebehandelt, gebeizt, leicht nachgewalzt = matt  
einseitig geschliffen Korn 240 + Hochdrucklaserfolie 80 - 100 my

Dicke mm	1000 x 2000 mm	1250 x 2500 mm	1500 x 3000 mm	Dicke mm	1000 x 2000 mm	1250 x 2500 mm	1500 x 3000 mm
0,80	○			2,50			
1,00	●	●	●	3,00	●	●	●
1,25				4,00	○	○	○
1,50	●	●	●	5,00	○	○	○
2,00	●	●	●	6,00	○	○	○

**Edelstahlbleche, rostfrei/kaltgewalzt nach DIN EN 10259/10088-2  
W.-Nr. 1.4301**

Ausführung 2B (III C): kaltgewalzt, wärmebehandelt, gebeizt, leicht nachgewalzt = matt  
einseitig gebürstet + Hochdrucklaserfolie 80 - 100 my

Dicke mm	1000 x 2000 mm	1250 x 2500 mm	1500 x 3000 mm	Dicke mm	1000 x 2000 mm	1250 x 2500 mm	1500 x 3000 mm
0,80				2,50			
1,00	○	○	○	3,00	○	○	○
1,25				4,00			
1,50	○	○	○	5,00			
2,00	○	○	○	6,00			

**Edelstahlbleche, rostfrei/kaltgewalzt nach DIN EN 10259/10088-2**

Ausführung 2B (III C): kaltgewalzt

Dicke mm	1000 x 2000 mm	1250 x 2500 mm	1500 x 3000 mm	Dicke mm	1000 x 2000 mm	1250 x 2500 mm	1500 x 3000 mm
0,80				2,50			
1,00	○	○	○	3,00	○	○	○
1,25				4,00			
1,50	○	○	○	5,00			
2,00	○	○	○	6,00			

- Lagervorrat
- Werksvorrat



**Edelstahlbleche, warmgewalzt nach DIN EN 10029/10051/10088-2  
Verfahren 1D (C2), wärmebehandelt, gebeizt**

Abmessung	W.-Nr. 1.4301	W.-Nr. 1.4541	W.-Nr. 1.4571	W.-Nr. 1.4404	Abmessung	W.-Nr. 1.4301	W.-Nr. 1.4541	W.-Nr. 1.4571	W.-Nr. 1.4404
2,00 x 1000 x 2000	○				15,0 x 1250 x 2500	○	○	○	○
2,50 x 1000 x 2000	○		●		15,0 x 1500 x 3000	○	○	○	○
2,50 x 1250 x 2500	○				15,0 x 1500 x 6000	○	○	○	○
3,00 x 1000 x 2000	○		○		18,0 x 1000 x 2000	○	○	○	○
3,00 x 1250 x 2500	○		○		18,0 x 1250 x 2500	○	○	○	○
3,00 x 1500 x 3000	○		○		18,0 x 1500 x 3000	○	○	○	○
3,00 x 1500 x 6000	○		○		18,0 x 1500 x 6000	○	○	○	○
4,00 x 1000 x 2000	●		●		20,0 x 1000 x 2000	○	○	○	○
4,00 x 1250 x 2500	●		○		20,0 x 1250 x 2500	○	○	○	○
4,00 x 1500 x 3000	○		○		20,0 x 1500 x 3000	○	○	○	○
4,00 x 1500 x 6000	○		○		20,0 x 1500 x 6000	○	○	○	○
5,00 x 1000 x 2000	●		○		25,0 x 1000 x 2000	○	○	○	○
5,00 x 1250 x 2500	●		○		25,0 x 1250 x 2500	○	○	○	
5,00 x 1500 x 3000	●		○		25,0 x 1500 x 3000	○	○	○	○
5,00 x 1500 x 6000	○		○		25,0 x 1500 x 6000	○	○	○	○
6,00 x 1000 x 2000	●		○		30,0 x 1000 x 2000	○	○	○	○
6,00 x 1250 x 2500	●		○		30,0 x 1250 x 2500	○	○	○	○
6,00 x 1500 x 3000	●		○		30,0 x 1500 x 3000	○	○	○	○
6,00 x 1500 x 6000	○		○		30,0 x 1500 x 6000	○	○	○	○
8,00 x 1000 x 2000	●		○		35,0 x 1000 x 2000	○	○	○	○
8,00 x 1250 x 2500	●		○		35,0 x 1250 x 2500	○	○	○	○
8,00 x 1500 x 3000	●		○		35,0 x 1500 x 3000	○	○	○	○
8,00 x 1500 x 6000	○		○		35,0 x 1500 x 6000	○	○	○	○
10,0 x 1000 x 2000	●		○		40,0 x 1000 x 2000	○	○	○	○
10,0 x 1250 x 2500	●		○		40,0 x 1250 x 2500	○	○	○	○
10,0 x 1500 x 3000	●		○		40,0 x 1500 x 3000	○	○	○	○
10,0 x 1500 x 6000	○		○		40,0 x 1500 x 6000	○	○	○	○
12,0 x 1000 x 2000	○		○		50,0 x 1000 x 2000	○	○	○	○
12,0 x 1250 x 2500	○		○		50,0 x 1250 x 2500	○	○	○	○
12,0 x 1500 x 3000	○		○		50,0 x 1500 x 3000	○	○	○	○
12,0 x 1500 x 6000	○		○		50,0 x 1500 x 6000	○	○	○	○
15,0 x 1000 x 2000	○		○						

- Lagervorrat
- Werksvorrat





**Tränenbleche W.-Nr. 1.4301, Mandorla, warmgewalzt, gebeizt**

Abmessung		Abmessung		Abmessung	
3,00 x 1000 x 2000	●	4,00 x 1250 x 3000	○	5,00 x 1250 x 3000	○
3,00 x 1000 x 3000	○	4,00 x 1500 x 3000	○	5,00 x 1500 x 3000	○
3,00 x 1000 x 4000	○	4,50 x 1000 x 2000	○	6,00 x 1000 x 2000	○
3,00 x 1250 x 2500	●	4,50 x 1250 x 2500	○	6,00 x 1250 x 2500	○
3,00 x 1250 x 3000	○	4,50 x 1250 x 3000	○	6,00 x 1250 x 3000	○
4,00 x 1000 x 2000	●	5,00 x 1000 x 2000	○		
4,00 x 1250 x 2500	●	5,00 x 1250 x 2500	○		

- Lagervorrat
- Werksvorrat